



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/802,787	03/08/2001	Rahul Khanna	042390.P9141	8348

7590 07/27/2006

R. Alan Burnett
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
Seventh Floor
12400 Wilshire Boulevard
Los Angeles, CA 90025-1026

EXAMINER

DAY, HERNG DER

ART UNIT PAPER NUMBER

2128

DATE MAILED: 07/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/802,787

Applicant(s)

KHANNA ET AL.

Examiner

Herng-der Day

Art Unit

2128

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9, 10, 15-17, 19-21 and 23 is/are rejected.
- 7) ☒ Claim(s) 11-14, 18, 22 and 24 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is in response to Applicants' Amendment ("Amendment") to Office Action dated February 10, 2006, faxed April 28, 2006.

1-1. Claims 1, 4-6, 9,14-19, and 21-23 have been amended. Claims 1-24 are pending.

1-2. Claims 1-24 have been examined.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 1-8 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claims contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventors, at the time the application was filed, had possession of the claimed invention.

3-1. Claim 1 recites the limitation "*dynamically* generating an object-oriented abstraction corresponding to a root bus" in line 3 of the claim. This limitation does not appear to have support in the original disclosure.

As described in lines 6-10 of page 5, "During the initialization process of a platform, a core dispatcher loads a PCI bus plug-in (PPI) for each entity that can create a root bus. When the plug-in for an entity is loaded, it produces a GUIDed object called a GRB (GUID of PPI for Root

Art Unit: 2128

Bus) that provides an abstracted representation of the root buss's configuration and resources."

Therefore, the above-recited limitation does not appear to have support in the original disclosure.

3-2. Claims not specifically rejected above are rejected as being dependent on a rejected claim.

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claims 7 and 23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

5-1. Claim 7 recites the limitation "said plurality of methods" in line 3 of the claim. There is insufficient antecedent basis for this limitation in the claim.

5-2. Claim 23 recites the limitation "the resources" in line 5 of the claim. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

7. Claims 1-6, 9, 10, 15-17, 19-21, and 23 are rejected under 35 U.S.C. 102(a) as being anticipated by The FreeBSD Documentation Project (hereafter FreeBSD), "FreeBSD Architecture Handbook, Chapter 14 Newbus", August 2000, pages 194-198.

7-1. Regarding claim 1, FreeBSD discloses a method comprising:

dynamically generating (dynamic attaching. Page 195, the first line) an object-oriented abstraction (Newbus is the implementation of a new architecture based on abstraction layers. Page 194, the last paragraph) corresponding to a root bus (a device tree lay-out. Page 195, line 4) referencing a method that obtains and/or generates configuration and resource allocation information for the root bus and a subordinate bus connected to the root bus (Each device in the system has a table of methods which it supports. The system and other devices uses those methods to control the device and request services. Page 195, the last paragraph); and

registering the method referenced in the object-oriented abstraction via a data structure stored in a memory (When a device is attached to a driver during auto-configuration, it uses the method table declared by the driver. The interface would be stored in a methods file. Page 196, paragraphs 1-2).

7-2. Regarding claim 2, FreeBSD further discloses wherein the object-oriented abstraction comprises one of a C++ object or Java object (an extensible “object-based programming” model. Page 195, the last paragraph).

7-3. Regarding claim 3, FreeBSD further discloses wherein the root bus comprises a PCI bus (host-to-PCI bridges (suggests a PCI root bus). Page 195, lines 5-8).

7-4. Regarding claim 4, FreeBSD further discloses comprising enumerating the root bus and said subordinate bus through use of the method that is registered (A device_state_t type, which is an enumeration, device_state. Page 197, lines 26-27).

7-5. Regarding claim 5, FreeBSD further discloses wherein the object-oriented abstraction includes at least one variable for storing information, further comprising storing configuration

Art Unit: 2128

information derived during enumeration of the root bus into said at least one variable (the nexus is the only part of the Newbus system which knows about all resources. Page 195, lines 17-18).

7-6. Regarding claim 6, FreeBSD further discloses comprising allocating resources for the root bus, the subordinate bus, and a device attached to the root and subordinate busses (resource allocation mechanism. Page 195, lines 33-34); and

storing information corresponding to resources that are allocated in said at least one variable for storing information (the nexus is the only part of the Newbus system which knows about all resources. Page 195, lines 17-18).

7-7. Regarding claim 9, FreeBSD discloses a method for defining resource configuration information in a system that includes a plurality of root busses, comprising:

identifying each of the plurality of root busses (host-to-PCI bridges (suggests PCI root buses). Page 195, lines 5-8);

defining an object oriented representation of each root bus (an extensible “object-based programming” model. Page 195, the last paragraph) comprising a set of components (a device tree lay-out. Page 195, line 4) that includes references to a plurality of methods that obtain and/or generate configuration and resource allocation information for that root bus and at least a subordinate bus connected to the root bus (Each device in the system has a table of methods which it supports. The system and other devices uses those methods to control the device and request services. Page 195, the last paragraph);

assigning a bus identifier for the at least subordinate bus (a device tree lay-out (suggests individually identifiable device/bus). Page 195, line 4) through use of an enumeration process that implements one or more of the methods referenced by the object oriented representation of

Art Unit: 2128

the root bus (When a device is attached to a driver during auto-configuration, it uses the method table declared by the driver. Page 196, paragraph 1).

wherein each of the foregoing operations is performed via execution of machine-executable instructions by the system (The system and other devices uses those methods to control the device and request services. Page 195, the last paragraph).

7-8. Regarding claim 10, FreeBSD further discloses wherein the object oriented representation includes a globally unique identifier (GUID) for each root bus (a device tree layout (suggests individually identifiable device/bus, i.e., GUID). Page 195, line 4).

7-9. Regarding claim 15, FreeBSD further discloses comprising:

determining resource requirements for the at least subordinate bus; allocating the resource requirements for the at least subordinate bus (asks its parent to map its resources. Page 195, lines 17-18); and

setting resources for the at least subordinate bus (a resource is allocated. Page 195, lines 33-34).

7-10. Regarding claim 16, FreeBSD further discloses wherein the at least subordinate bus has a peripheral device connected to it, and further wherein determining the resource requirements for the at least subordinate bus includes determining the resource requirements of a peripheral device attached to the at least subordinate bus (Each device in the Newbus architecture asks its parent to map its resources. Page 195, lines 17-18).

7-11. Regarding claim 17, FreeBSD further discloses comprising:

allocating resources for the root bus based in part on the resources of the at least subordinate bus; and setting the resources for the root bus (a resource is allocated. Page 195, lines 33-34).

7-12. Regarding claim 19, this article of manufacture claim includes equivalent method limitations as in claim 1 and is anticipated using the same analysis of claim 1.

7-13. Regarding claim 20, FreeBSD further discloses wherein the computer- executable instructions comprises one or more software modules including a root bus driver (When a device is attached to a driver during auto-configuration, it uses the method table declared by the driver. Page 196, paragraph 1).

7-14. Regarding claim 21, FreeBSD further discloses wherein execution of the instructions further performs operations comprising assigning a bus identifier for the subordinate bus (a device tree lay-out (suggests individually identifiable device/bus). Page 195, line 4) through use of an enumeration process that implements the method referenced by the object oriented abstraction of the root bus (When a device is attached to a driver during auto-configuration, it uses the method table declared by the driver. Page 196, paragraph 1).

7-15. Regarding claim 23, FreeBSD further discloses wherein execution of the instructions further performs the functions of:

determining resource requirements for the subordinate bus; allocating the resource requirements for the subordinate bus (asks its parent to map its resources. Page 195, lines 17-18); and

assigning the resources that are allocated to the root bus that is a parent of the subordinate (a resource is allocated. Page 195, lines 33-34).

Allowable Subject Matter

8. Claims 11-14, 18, 22, and 24 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Applicants' Arguments

9. Applicants argue the following:

(1) "FreeBSD merely discloses 'dynamic attach' which is dynamically attaching a device to a driver (FreeBSD, page 196, top paragraph), not dynamically generating an object oriented abstraction." (Page 7, paragraph 6, Amendment).

(2) "Using a method table is not equivalent to registering the method. Registering the method table includes storing information in memory using a handle and a pointer to the object's memory location." (Page 7, paragraph 6, Amendment).

Response to Arguments

10. Applicants' arguments have been fully considered.

10-1. Applicants' argument (1) is not persuasive. The limitation, "*dynamically* generating an object-oriented abstraction" in claim 1, does not appear to have support in the original disclosure as detailed in item 3-1 above.

10-2. In response to Applicants' argument (2) that the references fail to show certain features of Applicants' invention, it is noted that the features upon which applicant relies (i.e., storing

Art Unit: 2128

information in memory using a handle and a pointer to the object's memory location) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

11. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Herng-der Day whose telephone number is (571) 272-3777. The Examiner can normally be reached on 9:00 - 17:30.

Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 Group receptionist: (571) 272-2100.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Kamini S. Shah can be reached on (571) 272-2279. The fax phone numbers for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Herng-der Day
January 31, 2006

H.D.

Thayphan
Thai Phan
Patent Examiner
Art. 2128